

# Novaproof 2 Part Powder

## Safety Data Sheet

### **Section 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

#### **1.1 Product Identifier**

Product Name Novaflex Plus 2 Part Powder  
 Synonyms None

#### **1.2 Uses and Uses Advised Against**

Use(s) 2 Part Cement/Acrylic Waterproofing Membrane

#### **1.3 Details of the Supplier and the Product**

Supplier Name **Novatex Products Pty Ltd**  
 Address 118 Hassall St, Wetherill Park. NSW 2164 Australia  
 Telephone (02) 97573525  
 Email [info@novatexproducts.com.au](mailto:info@novatexproducts.com.au)  
 Website [www.novatexproducts.com.au](http://www.novatexproducts.com.au)

#### **1.4 Emergency Telephone Numbers**

Emergency 0297573525 (7am to 5pm Monday to Friday EST)  
 Emergency (A/H) 13 11 26 (Poisons Information Centre)

### **Section 2. HAZARDS IDENTIFICATION**

#### **2.1 Classification of the substance or mixture**

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

**GHS classification(s)** Specific Target Organ Systemic Toxicity (Repeated Exposure) - Category 3  
 Serious Eye Damage/Eye Irritation - Category 2A  
 Skin Corrosion/Irritation - Category 2  
 Acute Toxicity – Category 4

#### **2.2 Label elements**

Signal word **WARNING**  
 Pictogram(s)



#### **Hazard statement(s)**

H315 Causes skin Irritation  
 H319 Causes Serious Eye Irritation  
 H373 May cause damage to organs through prolonged or repeated Exposure  
 H332 Harmful if inhaled

#### **Prevention statement(s)**

P264 Wash skin thoroughly after handling.  
 P271 Use only outdoors or in a well-ventilated area.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection rated for Dust.  
 P260+ P261 Avoid/Do not breathe dust. Cement can become easily airborne.

#### **Response statement(s)**

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
 P332 + P313 If skin irritation occurs: Get medical advice/attention  
 P304 + P340 + P305 IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.  
 P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337 + P313  
 P314 + P312 Call a POISON CENTER or doctor/physician if you feel unwell.  
 P321 Specific treatment is advised - see first aid instructions.  
 P362 Take off contaminated clothing and wash before re-use.

**Storage statement(s)**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.

**Disposal statement(s)**

P501 Dispose of contents/container in accordance with relevant regulations.

**2.3 Other hazards**

No information provided.

**Section 3. COMPOSITION / INFORMATION ON INGREDIENTS**

**3.1 Substances / Mixtures**

| Ingredients               | CAS Number    | Content    |
|---------------------------|---------------|------------|
| Portland Cement           | 65997-15-1    | 30% to 40% |
| Calcium Carbonate         | 471-34-1      | 30% to 40% |
| Non-hazardous Ingredients | Not Available | Remainder  |

**Ingredient Notes** 1. Chromium VI is a trace impurity in Portland Cement (< 20 ppm).

**Section 4. FIRST AID MEASURES**

**4.1 Description of first aid measures**

**Eye** If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

**Inhalation** If inhaled, remove from contaminated area to fresh air and keep at rest in a position comfortable for breathing. Apply artificial respiration if not breathing.

**Skin** If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water (and soap if available). Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

**Ingestion** For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed, do not induce vomiting.

**First aid facilities** Eye wash facilities and safety shower should be available.

**4.2 Most important symptoms and effects, both acute and delayed**

Irritating to the eyes, skin and respiratory system. Dust may contain small amounts respirable crystalline silica. Chronic over exposure to silica quartz dust may result in silicosis. Some individuals may exhibit an allergic response upon exposure to this product, possibly due to the trace amounts of chromium present. Crystalline silica and hexavalent chromium compounds are classified as carcinogenic to humans (IARC Group 1).

**4.3 Immediate medical attention and special treatment needed**

Treat as for moderate to strong alkali and symptomatically.

## **Section 5. FIRE FIGHTING MEASURES**

### **5.1 Extinguishing media**

Use an extinguishing agent suitable for the surrounding fire.

### **5.2 Special hazards arising from the substance or mixture**

Non-flammable. May evolve toxic gases if strongly heated

### **5.3 Advice for firefighters**

No fire or explosion hazard exists.

### **5.4 Hazchem code**

None allocated.

## **Section 6. ACCIDENTAL RELEASE MEASURES**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Wear Personal Protective Equipment (PPE) as detailed in section 8 of this SDS. Clear area of all unprotected personnel. Contact emergency services where appropriate.

### **6.2 Environmental precautions**

Prevent product from entering drains and waterways.

### **6.3 Methods of cleaning up**

Contain spillage, then collect and place in suitable containers for reuse or disposal. Avoid generating dust. If able clean up with a vacuum device to avoid generating dust. Wetting during clean up is likely to cause this product to set.

### **6.4 Reference to other sections**

See Sections 8 and 13 for exposure controls and disposal.

## **Section 7. HANDLING AND STORAGE**

### **7.1 Precautions for safe handling**

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation.

Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

### **7.2 Conditions for safe storage, including any incompatibilities**

Store in a cool, dry, well ventilated area, removed from moisture, incompatible substances and foodstuffs. Ensure packages are adequately labelled, protected from physical damage and sealed when not in use.

### **7.3 Specific end use(s)**

No information provided.

## Section 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control parameters

#### Exposure standards

| Ingredient        | Reference | TWA |                   | STEL |                   |
|-------------------|-----------|-----|-------------------|------|-------------------|
|                   |           | ppm | mg/m <sup>3</sup> | ppm  | mg/m <sup>3</sup> |
| Portland cement   | SWA( AUS) | -   | 10                | -    | -                 |
| Calcium Carbonate | SWA (AUS) | -   | 10                | -    | -                 |

#### Biological limits

No biological limit values have been entered for this product.

### 8.2 Exposure controls

**Engineering controls** Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended. Maintain dust levels below the recommended exposure standard.

#### PPE

|                    |                                                                                                                        |
|--------------------|------------------------------------------------------------------------------------------------------------------------|
| <b>Eye / Face</b>  | Wear safety glasses or dust-proof goggles when handling material to avoid contact with eyes.                           |
| <b>Hands</b>       | Wear PVC, rubber or cotton gloves when handling material to prevent skin contact.                                      |
| <b>Body</b>        | Wear long sleeved shirt and full-length trousers.                                                                      |
| <b>Respiratory</b> | Where an inhalation risk exists wear a Class P1 (Particulate) respirator, dependent on a site specific risk assessment |



## Section 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

|                         |                   |                                  |               |
|-------------------------|-------------------|----------------------------------|---------------|
| <b>Appearance</b>       | OFF WHITE POWDER  | <b>Solubility (water)</b>        | < 10 g/L      |
| <b>Odour</b>            | SLIGHT ODOUR      | <b>Vapour pressure</b>           | NOT AVAILABLE |
| <b>Flammability</b>     | NON FLAMMABLE     | <b>Upper explosion limit</b>     | NOT RELEVANT  |
| <b>Flash point</b>      | NOT RELEVANT      | <b>Lower explosion limit</b>     | NOT RELEVANT  |
| <b>Boiling point</b>    | NOT AVAILABLE     | <b>Partition coefficient</b>     | NOT AVAILABLE |
| <b>Melting point</b>    | > 1200°C          | <b>Auto ignition temperature</b> | NOT AVAILABLE |
| <b>Evaporation rate</b> | NOT AVAILABLE     | <b>Decomposition temperature</b> | NOT AVAILABLE |
| <b>pH</b>               | 11 to 13          | <b>Viscosity</b>                 | NOT AVAILABLE |
| <b>Vapour density</b>   | NOT AVAILABLE     | <b>Explosive properties</b>      | NOT AVAILABLE |
| <b>Specific gravity</b> | 1.15 to 1.40 kg/l | <b>Oxidising properties</b>      | NOT AVAILABLE |
|                         |                   | <b>Odour threshold</b>           | NOT AVAILABLE |

### 9.2 Other information

**Density** 1150 kg/m<sup>3</sup> to 1400 kg/m<sup>3</sup> (Bulk)

## **Section 10. STABILITY AND REACTIVITY**

### **10.1 Reactivity**

Carefully review all information provided in sections 10.2 to 10.6.

### **10.2 Chemical stability**

Stable under recommended conditions of storage.

### **10.3 Possibility of hazardous reactions**

Hazardous polymerization is not expected to occur.

### **10.4 Conditions to avoid**

Avoid heat, sparks, open flames and other ignition sources.

### **10.5 Incompatible materials**

Incompatible with oxidising agents (e.g. hypochlorites), ethanol, acids (e.g. hydrofluoric acid) and interhalogens (e.g. chlorine trifluoride). Water contact may increase product temperature 2°C to 3°C.

### **10.6 Hazardous decomposition products**

May evolve toxic gases if heated to decomposition.

## **Section 11. TOXICOLOGICAL INFORMATION**

Novaflex Plus is comprised of stable substances, compatible with most other building materials that will not decompose into hazardous by-products and do not polymerise.

### **11.1 Information on toxicological effects**

|                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Acute toxicity</b>           | No known toxicity data is available for this product. Based on available data, the classification criteria are not met.                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Skin</b>                     | Irritating to the skin. Contact with powder or wetted form may result in irritation, rash and dermatitis.                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Eye</b>                      | Irritating to the eyes. Contact may result in irritation, lacrimation, pain, redness, corneal burns and possible permanent damage.                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Sensitization</b>            | This product is not classified as a skin or respiratory sensitiser. However, some individuals may exhibit an allergic response upon exposure to cement, possibly due to trace amounts of chromium.                                                                                                                                                                                                                                                                                                                     |
| <b>Mutagenicity</b>             | Insufficient data available to classify as a mutagen                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Carcinogenicity</b>          | This product contains small amounts of crystalline silica which is classified as carcinogenic to humans (IARC Group 1). However, there is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis. Therefore, preventing the onset of silicosis will also reduce the cancer risk. Hexavalent chromium compounds are classified as carcinogenic to humans (IARC Group 1), however due to the trace amounts present, the criteria for classification is not met. |
| <b>Reproductive</b>             | Insufficient data available to classify as a reproductive toxin.                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>STOT - single exposure</b>   | Irritating to the respiratory system. Over exposure may result in irritation of the nose and throat, coughing. Pre-existing upper respiratory and lung diseases including asthma and bronchitis may be aggravated.. High level exposure may result in breathing difficulties.                                                                                                                                                                                                                                          |
| <b>STOT – repeated exposure</b> | Repeated over-exposure to respirable silica may result in pulmonary fibrosis Silicosis is a fibronodular lung disease caused deposition in the lungs of fine respirable particles of crystalline silica. Principal symptoms of silicosis are coughing and breathlessness. In the wet state, the likelihood of an inhalation hazard is reduced.                                                                                                                                                                         |
| <b>Aspiration</b>               | This product is a solid and aspiration hazards are not expected to occur.                                                                                                                                                                                                                                                                                                                                                                                                                                              |

## **Section 12. ECOLOGICAL INFORMATION**

### **12.1 Toxicity**

May be harmful to the aquatic environment due to the alkaline nature of the product. This product is non-toxic to aquatic organisms when present as a cured solid.

### **12.2 Persistence and degradability**

Product is persistent and would have a low degradability

### **12.3 Bioaccumulative potential**

This product is not expected to bioaccumulate.

### **12.4 Mobility in soil**

A low mobility would be expected in a landfill situation.

### **12.5 Other adverse effects**

Avoid contamination of drains and waterways.

## **Section 13. DISPOSAL CONSIDERATIONS**

### **13.1 Waste treatment methods**

**Waste disposal** Reuse or recycle where possible. Alternatively, ensure product is covered with moist soil to prevent dust generation and dispose of to an approved landfill site. Contact the manufacturer/supplier for additional information (if required)

**Legislation** Dispose of in accordance with relevant local legislation.

## **Section 14. TRANSPORTATION INFORMATION**

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

|                                    | <b>LAND TRANSPORT<br/>(ADG)</b> | <b>SEA TRANSPORT<br/>(IMDG / IMO)</b> | <b>AIR TRANSPORT<br/>(IATA / ICAO)</b> |
|------------------------------------|---------------------------------|---------------------------------------|----------------------------------------|
| <b>14.1 UN Number</b>              | None Allocated                  | None Allocated                        | None Allocated                         |
| <b>14.2 Proper Shipping Name</b>   | None Allocated                  | None Allocated                        | None Allocated                         |
| <b>14.3 Transport hazard class</b> | None Allocated                  | None Allocated                        | None Allocated                         |
| <b>14.4 Packing Group</b>          | None Allocated                  | None Allocated                        | None Allocated                         |

### **14.5 Environmental hazards**

No information provided

### **14.6 Special precautions for use**

**Hazchem code** None Allocated

## **Section 15. REGULATORY INFORMATION**

### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Poison schedule** A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

**Classifications** Safework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals

**Inventory listing(s)** **AUSTRALIA:** AICS (Australian Inventory of Chemical Substances)  
All components are listed on AICS, or are exempt.  
The components of this product are not classified as dangerous good.

## **Section 16. OTHER INFORMATION**

### **Additional information**

#### **16.1 PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:**

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

#### **16.2 HEALTH EFFECTS FROM EXPOSURE:**

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a ChemAlert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

#### **16.3 Abbreviations**

|                         |                                                                                                 |
|-------------------------|-------------------------------------------------------------------------------------------------|
| <b>ACGIH</b>            | American Conference of Governmental Industrial Hygienists                                       |
| <b>CAS #</b>            | Chemical Abstract Service number - used to uniquely identify chemical compounds                 |
| <b>CNS</b>              | Central Nervous System                                                                          |
| <b>EC No.</b>           | European Community Number                                                                       |
| <b>GHS</b>              | Globally Harmonized System                                                                      |
| <b>IARC</b>             | International Agency for Research on Cancer                                                     |
| <b>LC50</b>             | Lethal Concentration, 50% / Median Lethal Concentration                                         |
| <b>LD50</b>             | Lethal Dose, 50% / Median Lethal Dose                                                           |
| <b>mg/m<sup>3</sup></b> | Milligrams per Cubic Metre                                                                      |
| <b>OEL</b>              | Occupational Exposure Limit                                                                     |
| <b>pH</b>               | relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline). |
| <b>ppm</b>              | Parts Per Million                                                                               |
| <b>STEL</b>             | Short-Term Exposure Limit                                                                       |
| <b>STOT</b>             | RE Specific target organ toxicity (repeated exposure)                                           |
| <b>STOT</b>             | SE Specific target organ toxicity (single exposure)                                             |
| <b>SUSMP</b>            | Standard for the Uniform Scheduling of Medicines and Poisons SWA Safe Work Australia            |
| <b>TLV</b>              | Threshold Limit Value                                                                           |
| <b>TWA</b>              | Time Weighted Average                                                                           |

## 16.4 Revision history

| Revision | Description                |
|----------|----------------------------|
| 3.0      | Revised 1/10/2019          |
| 2.0      | Converted to GHS 9/9/16    |
| 1.0      | Initial release 01/08/2013 |

## 16.5 Report status

This document has been compiled by the manufacturer of the product and serves as their Safety Data Sheet ('SDS'). The information presented herein is based on data considered to be accurate as of the date of preparation of this SDS. However, no warranty or representation, express or implied, is made as to the accuracy or completeness of the foregoing data and safety information, nor is any authorisation given or implied to practice any patented invention without a licence. In addition, no responsibility can be assumed by the vendor for any damage or injury resulting from abnormal use, without a risk assessment for safe use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the products.

This Safety Data Sheet (SDS) applies only to the formulated material as supplied by Novatex Products Cement. It does not apply where the formulation has been altered. In this case a new SDS may be required to reflect the modified material. Contact Novatex Products for further information.

Printed documents are uncontrolled. Refer to [www.novatexproducts.com.au](http://www.novatexproducts.com.au) regularly for a more recent copy of the SDS where it exists.

**Prepared by** Novatex Products Pty Ltd  
118 Hassall St  
Wetherill Park. NSW. 2164  
Phone +61 (02) 97573525  
Fax +61 (02) 97573525  
Email [info@novatexproducts.com.au](mailto:info@novatexproducts.com.au)  
Website: [www.npvatexproducts.com.au](http://www.npvatexproducts.com.au)

**SDS date:** 1<sup>st</sup> October 2019  
**(END SDS)**



# Novaproof 2 Part Liquid

## Safety Data Sheet

### **Section 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

#### **1.1 Product Identifier**

Product Name                      Novaproof 2 Part Liquid  
Synonyms                            None

#### **1.2 Uses and Uses Advised Against**

Use(s)                                A acrylic/cement based 2 part waterproofing membrane.

#### **1.3 Details of the Supplier and the Product**

Supplier Name                      **Novatex Products Pty Ltd**  
Address                               118 Hassall St, Wetherill Park. NSW 2164 Australia  
Telephone                            (02) 97573525  
Email                                  [info@novatexproducts.com.au](mailto:info@novatexproducts.com.au)  
Website                               [www.novatexproducts.com.au](http://www.novatexproducts.com.au)

#### **1.4 Emergency Telephone Numbers**

Emergency                            0297573525 (7am to 5pm Monday to Friday EST)  
Emergency (A/H)                    13 11 26 (Poisons Information Centre)

### **Section 2. HAZARDS IDENTIFICATION**

#### **2.1 Classification of the substance or mixture**

CLASSIFIED AS NON-HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

GHS classification(s)

#### **2.2 Label elements**

Signal word  
Pictogram(s)

### **Section 3. COMPOSITION / INFORMATION ON INGREDIENTS**

#### **3.1 Substances / Mixtures**

This product either does not contain hazardous constituents or the concentration of all chemical constituents are below the regulatory threshold limits

### **Section 4. FIRST AID MEASURES**

#### **4.1 Description of first aid measures**

**Inhalation:**                      Treat symptomatically and move the exposed person to fresh air. Get medical attention if any discomfort continues.  
**Ingestion:**                      Rinse mouth thoroughly. Get medical attention if any discomfort continues.  
**Skin contact:**                   Wash skin with soap and water. Get medical attention if irritation persists after washing.  
**Eye contact:**                   Make sure to remove any contact lenses from the eyes before rinsing. Rinse eye with water immediately. Get medical attention if any discomfort continues  
**First aid facilities**               Eye wash facilities and safety shower should be available.

#### **4.2 Most important symptoms and effects, both acute and delayed).**

No specific symptoms noted.

#### **4.3 Immediate medical attention and special treatment needed**

Treat symptomatically.

## **Section 5. FIRE FIGHTING MEASURES**

### **5.1 Extinguishing media**

Use an extinguishing agent suitable for the surrounding fire.

### **5.2 Special hazards arising from the substance or mixture**

Non-flammable. May evolve toxic gases if strongly heated

### **5.3 Advice for firefighters**

No fire or explosion hazard exists.

### **5.4 Hazchem code**

None allocated.

## **Section 6. ACCIDENTAL RELEASE MEASURES**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Wear Personal Protective Equipment (PPE) as detailed in section 8 of this SDS. Clear area of all unprotected personnel. Contact emergency services where appropriate.

### **6.2 Environmental precautions**

Prevent product from entering drains and waterways.

### **6.3 Methods of cleaning up**

Contain spillage, then collect and place in suitable containers for reuse or disposal.

### **6.4 Reference to other sections**

See Sections 8 and 13 for exposure controls and disposal.

## **Section 7. HANDLING AND STORAGE**

### **7.1 Precautions for safe handling**

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation.

Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

### **7.2 Conditions for safe storage, including any incompatibilities**

Store in a cool, dry, well ventilated area, removed from moisture, incompatible substances and foodstuffs. Ensure packages are adequately labelled, protected from physical damage and sealed when not in use.

### **7.3 Specific end use(s)**

No information provided.

## **Section 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

### **8.1 Control parameters**

#### **Exposure standards**

None

#### **Biological limits**

No biological limit values have been entered for this product.

### **8.2 Exposure controls**

**Engineering controls** Use in an appropriately ventilated area.

#### **PPE**

|                    |                                                                                                                                                    |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye / Face</b>  | Wear safety glasses or dust-proof goggles when there is a risk of eye contact.                                                                     |
| <b>Hands</b>       | Wear PVC, rubber or cotton gloves when handling material to prevent skin contact.                                                                  |
| <b>Body</b>        | Wear long sleeved shirt and full-length trousers.                                                                                                  |
| <b>Respiratory</b> | No specific recommendation made, but respiratory protection must be used if the general level exceeds the recommended occupational exposure limit. |



## **Section 9. PHYSICAL AND CHEMICAL PROPERTIES**

### **9.1 Information on basic physical and chemical properties**

|                         |               |                                  |               |
|-------------------------|---------------|----------------------------------|---------------|
| <b>Appearance</b>       | MILKY LIQUID  | <b>Solubility (water)</b>        | <SOLUBLE      |
| <b>Odour</b>            | SLIGHT ODOUR  | <b>Vapour pressure</b>           | NOT AVAILABLE |
| <b>Flammability</b>     | NON FLAMMABLE | <b>Upper explosion limit</b>     | NOT RELEVANT  |
| <b>Flash point</b>      | NOT RELEVANT  | <b>Lower explosion limit</b>     | NOT RELEVANT  |
| <b>Boiling point</b>    | NOT AVAILABLE | <b>Partition coefficient</b>     | NOT AVAILABLE |
| <b>Melting point</b>    | > 1200°C      | <b>Auto ignition temperature</b> | NOT AVAILABLE |
| <b>Evaporation rate</b> | NOT AVAILABLE | <b>Decomposition temperature</b> | NOT AVAILABLE |
| <b>pH</b>               | 8 to 10       | <b>Viscosity</b>                 | NOT AVAILABLE |
| <b>Vapour density</b>   | NOT AVAILABLE | <b>Explosive properties</b>      | NOT AVAILABLE |
| <b>Specific gravity</b> | 1.00 kg/l     | <b>Oxidising properties</b>      | NOT AVAILABLE |
|                         |               | <b>Odour threshold</b>           | NOT AVAILABLE |

### **9.2 Other information**

Density 1000 kg/m<sup>3</sup>

## **Section 10. STABILITY AND REACTIVITY**

### **10.1 Reactivity**

Carefully review all information provided in sections 10.2 to 10.6.

### **10.2 Chemical stability**

Stable under recommended conditions of storage.

### **10.3 Possibility of hazardous reactions**

Hazardous polymerization is not expected to occur.

### **10.4 Conditions to avoid**

Avoid heat, sparks, open flames and other ignition sources.

### **10.5 Incompatible materials**

No specific, or groups of, materials are likely to react to produce a hazardous situation.

### **10.6 Hazardous decomposition products**

None under normal circumstances

Novamix Additive is comprised of stable substances, compatible with most other building materials that will not decompose into hazardous by-products and do not polymerise.

## **Section 11. TOXICOLOGICAL INFORMATION**

### **11.1 Information on toxicological effects**

|                                 |                                                                                                                         |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| <b>Acute toxicity</b>           | No known toxicity data is available for this product. Based on available data, the classification criteria are not met. |
| <b>Skin</b>                     | Based on available data, the classification criteria are not met.                                                       |
| <b>Eye</b>                      | Based on available data, the classification criteria are not met.                                                       |
| <b>Sensitization</b>            | This product is not classified as a skin or respiratory sensitiser.                                                     |
| <b>Mutagenicity</b>             | Insufficient data available to classify as a mutagen                                                                    |
| <b>Carcinogenicity</b>          | This product is not classified as carcinogenic to humans (IARC Group 1).                                                |
| <b>Reproductive</b>             | Insufficient data available to classify as a reproductive toxin.                                                        |
| <b>STOT - single exposure</b>   | Based on available data, the classification criteria are not met.                                                       |
| <b>STOT – repeated exposure</b> | Based on available data, the classification criteria are not met.                                                       |
| <b>Aspiration</b>               | Based on available data, the classification criteria are not met.                                                       |

## **Section 12. ECOLOGICAL INFORMATION**

### **12.1 Toxicity**

Not regarded as toxic to the environment.

### **12.2 Persistence and degradability**

Product is persistent and would have a low degradability

### **12.3 Bioaccumulative potential**

This product is not expected to bioaccumulate.

### **12.4 Mobility in soil**

A low mobility would be expected in a landfill situation.

### **12.5 Other adverse effects**

Avoid contamination of drains and waterways.

## **Section 13. DISPOSAL CONSIDERATIONS**

### **13.1 Waste treatment methods**

|                       |                                                                                                                                                                                                                                              |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Waste disposal</b> | Reuse or recycle where possible. Alternatively, ensure product is covered with moist soil to prevent dust generation and dispose of to an approved landfill site. Contact the manufacturer/supplier for additional information (if required) |
| <b>Legislation</b>    | Dispose of in accordance with relevant local legislation.                                                                                                                                                                                    |

## **Section 14. TRANSPORTATION INFORMATION**

### **NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA**

|                                    | <b>LAND TRANSPORT<br/>(ADG)</b> | <b>SEA TRANSPORT<br/>(IMDG / IMO)</b> | <b>AIR TRANSPORT<br/>(IATA / ICAO)</b> |
|------------------------------------|---------------------------------|---------------------------------------|----------------------------------------|
| <b>14.1 UN Number</b>              | None Allocated                  | None Allocated                        | None Allocated                         |
| <b>14.2 Proper Shipping Name</b>   | None Allocated                  | None Allocated                        | None Allocated                         |
| <b>14.3 Transport hazard class</b> | None Allocated                  | None Allocated                        | None Allocated                         |
| <b>14.4 Packing Group</b>          | None Allocated                  | None Allocated                        | None Allocated                         |

### **14.5 Environmental hazards**

No information provided

### **14.6 Special precautions for use**

Hazchem code      None Allocated

## **Section 15. REGULATORY INFORMATION**

### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

|                             |                                                                                                                                                                                                   |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Poison schedule</b>      | A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).                                   |
| <b>Classifications</b>      | Safework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals                                                                         |
| <b>Inventory listing(s)</b> | <b>AUSTRALIA:</b> AICS (Australian Inventory of Chemical Substances)<br>All components are listed on AICS, or are exempt.<br>The components of this product are not classified as dangerous good. |

## **Section 16. OTHER INFORMATION**

### **Additional information**

### **16.1 PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:**

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

## 16.2 HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a ChemAlert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

## 16.3 Abbreviations

|                   |                                                                                                 |
|-------------------|-------------------------------------------------------------------------------------------------|
| ACGIH             | American Conference of Governmental Industrial Hygienists                                       |
| CAS #             | Chemical Abstract Service number - used to uniquely identify chemical compounds                 |
| CNS               | Central Nervous System                                                                          |
| EC No.            | European Community Number                                                                       |
| GHS               | Globally Harmonized System                                                                      |
| IARC              | International Agency for Research on Cancer                                                     |
| LC50              | Lethal Concentration, 50% / Median Lethal Concentration                                         |
| LD50              | Lethal Dose, 50% / Median Lethal Dose                                                           |
| mg/m <sup>3</sup> | Milligrams per Cubic Metre                                                                      |
| OEL               | Occupational Exposure Limit                                                                     |
| pH                | relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline). |
| ppm               | Parts Per Million                                                                               |
| STEL              | Short-Term Exposure Limit                                                                       |
| STOT              | RE Specific target organ toxicity (repeated exposure)                                           |
| STOT              | SE Specific target organ toxicity (single exposure)                                             |
| SUSMP             | Standard for the Uniform Scheduling of Medicines and Poisons SWA Safe Work Australia            |
| TLV               | Threshold Limit Value                                                                           |
| TWA               | Time Weighted Average                                                                           |

## 16.4 Revision history

| Revision | Description               |
|----------|---------------------------|
| 1.0      | Initial release 23/9/2019 |

## 16.5 Report status

This document has been compiled by the manufacturer of the product and serves as their Safety Data Sheet ('SDS'). The information presented herein is based on data considered to be accurate as of the date of preparation of this SDS. However, no warranty or representation, express or implied, is made as to the accuracy or completeness of the foregoing data and safety information, nor is any authorisation given or implied to practice any patented invention without a licence. In addition, no responsibility can be assumed by the vendor for any damage or injury resulting from abnormal use, without a risk assessment for safe use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the products.

This Safety Data Sheet (SDS) applies only to the formulated material as supplied by Novatex Products Cement. It does not apply where the formulation has been altered. In this case a new SDS may be required to reflect the modified material. Contact Novatex Products for further information.

Printed documents are uncontrolled. Refer to [www.novatexproducts.com.au](http://www.novatexproducts.com.au) regularly for a more recent copy of the SDS where it exists.

**Prepared by** Novatex Products Pty Ltd  
118 Hassall St  
Wetherill Park. NSW. 2164  
Phone +61 (02) 97573525  
Fax +61 (02) 97573525  
Email [info@novatexproducts.com.au](mailto:info@novatexproducts.com.au)  
Website: [www.novatexproducts.com.au](http://www.novatexproducts.com.au)

SDS date: 23/09/2019  
(END SDS)

**PRODUCT NAME: Novaproof 2 Part Liquid**  
Safety Data Sheet

